

# Foundation of Cryptography, Lecture 4

## Pseudorandom Functions.

### Handout Mode

Benny Applebaum & Iftach Haitner, Tel Aviv University

Tel Aviv University.

December 1, 2016


# Section 1

## **Informal Discussion**

## Motivation discussion

- 1 We've seen a **small** set of objects:  $\{G(x)\}_{x \in \{0,1\}^n}$ , that "looks like" a **larger** set of objects:  $\{x\}_{x \in \{0,1\}^{2n}}$ .
- 2 We want **small** set of objects: *efficient function families*, that looks like a **huge** set of objects: *the set of all functions*.

Solution



## Subsection 1

# Function Families

## Function families

- 1  $\mathcal{F} = \{\mathcal{F}_n\}_{n \in \mathbb{N}}$ , where  $\mathcal{F}_n = \{f: \{0, 1\}^{m(n)} \mapsto \{0, 1\}^{\ell(n)}\}$
- 2 We write  $\mathcal{F} = \{\mathcal{F}_n: \{0, 1\}^{m(n)} \mapsto \{0, 1\}^{\ell(n)}\}$
- 3 If  $m(n) = \ell(n) = n$ , we omit it from the notation
- 4 We identify function with their description

# Random functions

## Definition 1 (random functions)

For  $n, k \in \mathbb{N}$ , let  $\Pi_{n,k}$  be the family of **all** functions from  $\{0, 1\}^n$  to  $\{0, 1\}^k$ .  
Let  $\Pi_n = \Pi_{n,n}$ .

- $\pi \leftarrow \Pi_n$  is a “random access” source of randomness
- Parties with access to a **common**  $\pi \leftarrow \Pi_n$  can do a lot
- How long does it take to describe  $\pi \in \Pi_n$ ?  $2^n \cdot n$  bits
- The truth table of  $\pi \leftarrow \Pi_n$  is a uniform string of length  $2^n \cdot n$
- For integer function  $m$ , we will consider the function family  $\{\Pi_{n,m(n)}\}$ .

## Subsection 2

# Efficient Function Families

## Efficient function families

### Definition 2 (efficient function family)

An ensemble of function families  $\mathcal{F} = \{\mathcal{F}_n\}_{n \in \mathbb{N}}$  is **efficient**, if:

**Samplable.**  $\mathcal{F}$  is samplable in polynomial-time: there exists a PPT that given  $1^n$ , outputs (the description of) a uniform element in  $\mathcal{F}_n$ .

**Efficient.** There exists a polynomial-time algorithm that given  $x \in \{0, 1\}^n$  and (a description of)  $f \in \mathcal{F}_n$ , outputs  $f(x)$ .



## Subsection 3

# Pseudorandom Functions

# Pseudorandom Functions



## Definition 3 (pseudorandom functions (PRFs))

An efficient ensemble  $\mathcal{F} = \{\mathcal{F}_n: \{0, 1\}^{m(n)} \mapsto \{0, 1\}^{\ell(n)}\}$  is **pseudorandom**, if

$$\left| \Pr_{f \leftarrow \mathcal{F}_n} [D^f(1^n) = 1] - \Pr_{\pi \leftarrow \Pi_{m(n), \ell(n)}} [D^\pi(1^n) = 1] \right| = \text{neg}(n),$$

for any oracle-aided PPT  $D$ .

$\approx_C$



- Why “oracle-aided”?
- Easy to construct (no assumption!) with **logarithmic** input length
- PRFs of **super logarithmic** input length, which is the interesting case, imply PRGs
- We will mainly focus on the case  $m(n) = \ell(n) = n$
- We write  $D^{\mathcal{F}}$  to stand for  $(D^f)_{f \leftarrow \mathcal{F}}$ .

## Section 2

# PRF from OWF

## Naive Construction

Let  $G: \{0, 1\}^n \mapsto \{0, 1\}^{2n}$ , and for  $s \in \{0, 1\}^n$  define  $f_s: \{0, 1\} \mapsto \{0, 1\}^n$  by

- $f_s(0) = G(s)_{1,\dots,n}$
- $f_s(1) = G(s)_{n+1,\dots,2n}$ .

### Claim 4

Assume  $G$  is a PRG, then  $\{\mathcal{F}_n = \{f_s\}_{s \in \{0,1\}^n}\}_{n \in \mathbb{N}}$  is a PRF.

Proof: The truth table of  $f \leftarrow \mathcal{F}_n$  is  $G(U_n)$ , where the truth table of  $\pi \leftarrow \Pi_{1,n}$  is  $U_{2n}$   $\square$

- Naturally extends to input of length  $O(\log n)$  :-)
- Miserably fails for longer length (which is the only interesting case) :-)
- Problem, we are constructing the **whole** truth table, even to compute a **single** output

## Subsection 1

# The GGM Construction


# The GGM Construction

## Construction 5 (GGM)

For  $G: \{0, 1\}^n \mapsto \{0, 1\}^{2n}$  and  $s \in \{0, 1\}^n$ ,

- $G_0(s) = G(s)_{1, \dots, n}$
- $G_1(s) = G(s)_{n+1, \dots, 2n}$

For  $x \in \{0, 1\}^k$  let  $f_s(x) = G_{x_k}(f_s(x_1, \dots, x_{k-1}))$ ,  
letting  $f_s() = s$ .



$$s_x = f_s(x)$$

- Example:  $f_s(001) = s_{001} = G_1(s_{00}) = G_1(G_0(s_0)) = G_1(G_0(G_0(s)))$
- $G$  is poly-time  $\implies \mathcal{F} := \{\mathcal{F}_n = \{f_s : s \in \{0, 1\}^n\}\}$  is efficient

## Theorem 6 (Goldreich-Goldwasser-Micali (GGM))

If  $G$  is a PRG then  $\mathcal{F}$  is a PRF.

## Corollary 7

OWFs imply PRFs.

## Subsection 2

### **Proof**

## Proof Idea

Assume  $\exists$  PPT  $D$ ,  $p \in \text{poly}$  and infinite set  $\mathcal{I} \subseteq \mathbb{N}$  with

$$|\Pr[D^{\mathcal{F}_n}(1^n) = 1] - \Pr[D^{\Pi_n}(1^n) = 1]| \geq \frac{1}{p(n)}, \quad (1)$$

for any  $n \in \mathcal{I}$ .

Fix  $n \in \mathbb{N}$  and let  $t = t(n)$  be a bound on the running time of  $D(1^n)$ . We use  $D$  to construct a PPT  $D'$  such that



$$|\Pr[D'((U_{2n})^t) = 1] - \Pr[D'(G(U_n))^t = 1]| > \frac{1}{np(n)},$$

where  $(U_{2n})^t = U_{2n}^{(1)}, \dots, U_{2n}^{(t)}$  and  $G(U_n)^t = G(U_n^{(1)}), \dots, G(U_n^{(t)})$ .


Hence,  $D'$  violates the security of  $G$ .(?)



# The Hybrid





- $\mathcal{H}_i$ : all the nodes of depth smaller than  $i$  are labeled by random strings. Other nodes are labeled as before (by applying PRG to the father and taking right/left half).
- What family is  $\mathcal{H}_1$ ?  $\mathcal{F}_n$ . What is  $\mathcal{H}_n$ ?  $\Pi_n$ .
- For some  $i \in \{1, \dots, n-1\}$ , algorithm D distinguishes  $\mathcal{H}_i$  from  $\mathcal{H}_{i+1}$  by  $\frac{1}{np(n)}$



$\not\approx$

## The Hybrid cont.

We focus on the case where  $D$  distinguishes between  $\mathcal{H}_{n-1}$  and  $\mathcal{H}_n$



- $D$  distinguishes (via  $t$  samples) between
  - ▶  $R$  – a uniform string of length  $2^n \cdot n$ , and
  - ▶  $P$  - a string generated by  $2^{n-1}$  independent calls to  $G$
- We would like to use  $D$  for breaking the security of  $G$ , but  $R$  and  $P$  seem too long :-)
- Solution: focus on the part (i.e., cells) that  $D$  sees

## The Hybrid cont.


We focus on the case where  $D$  distinguishes between  $\mathcal{H}_{n-1}$  and  $\mathcal{H}_n$



**Algorithm 8** ( $D'$  on  $y_1, \dots, y_t \in (\{0, 1\}^{2n})^t$ )

Emulate  $D$ . Initialize a counter  $k = 0$ . On the  $i$ 'th query  $q_i$  made by  $D$ :

- If the cell queried by  $q_i$  is **non-empty**, answer with the content of the cell.
- Else increment  $k$  by 1 and do:
  - ▶ If  $q_i$  is a left son, fill its cell with the left half of  $y_k$  and use the right half of  $y$  to fill the right brother of  $q_i$ .
  - ▶ If  $q_i$  is a right son, fill its cell with the right half of  $y_k$  and use the left half of  $y$  to fill the cell of left brother of  $q_i$ .



- $D'(U_{2n})^t / D'(G(U_n))^t$  emulates  $D$  with access to  $R / P$
- Hence,  $|\Pr[D'((U_{2n})^t) = 1] - \Pr[D'((G(U_n))^t) = 1]| > \frac{1}{np(n)}$

# Part I

## Pseudorandom Permutations

## Formal Definition

Let  $\tilde{\Pi}_n$  be the set of all permutations over  $\{0, 1\}^n$ .

### Definition 9 (pseudorandom permutations (PRPs))

A permutation ensemble  $\mathcal{F} = \{\mathcal{F}_n : \{0, 1\}^n \mapsto \{0, 1\}^n\}$  is a **pseudorandom permutation**, if

$$\left| \Pr[D^{\mathcal{F}_n}(1^n) = 1] - \Pr[D^{\tilde{\Pi}_n}(1^n) = 1] \right| = \text{neg}(n), \quad (2)$$

for any oracle-aided PPT  $D$

- Eq 2 holds for any PRF (taking the role of  $\mathcal{F}$ )
- Hence, PRPs are indistinguishable from PRFs...
- If no one can distinguish between PRFs and PRPs, let's use PRFs
  - ▶ (partial) Perfect "security"
  - ▶ Inversion

## Subsection 1

### **PRP from PRF**

# Feistel permutation


How does one turn a function into a permutation?

## Definition 10 (LR)

For  $f: \{0, 1\}^n \mapsto \{0, 1\}^n$ , let  $\text{LR}_f: \{0, 1\}^{2n} \mapsto \{0, 1\}^{2n}$  be defined by

$$\text{LR}_f(\ell, r) = (r, f(r) \oplus \ell).$$

- $\text{LR}_f$  is a permutation:  $\text{LR}_f^{-1}(z, w) = (f(z) \oplus w, z)$
- $\text{LR}_f$  is **efficiently** computable and invertible given oracle access to  $f$
- For  $i \in \mathbb{N}$  and  $f^1, \dots, f^i$ , define  $\text{LR}_{f^1, \dots, f^i}: \{0, 1\}^{2n} \mapsto \{0, 1\}^{2n}$  by  
$$\text{LR}_{f^1, \dots, f^i}(\ell, r) = (r^{i-1}, f^i(r^{i-1}) \oplus \ell^{i-1}), \text{ for } (\ell^{i-1}, r^{i-1}) = \text{LR}_{f^1, \dots, f^{i-1}}(\ell, r).$$
  
(letting  $(\ell^0, r^0) = (\ell, r)$ )



## Luby-Rackoff Thm.

Recall  $\text{LR}_f(\ell, r) = (r, f(r) \oplus \ell)$ .

### Definition 11

Given a function family  $\mathcal{F} = \{\mathcal{F}_n: \{0, 1\}^n \mapsto \{0, 1\}^n\}$ , let

$\text{LR}^i(\mathcal{F}) = \{\text{LR}_{\mathcal{F}_n}^i = \{\text{LR}_{f^1, \dots, f^i}: f^1, \dots, f^i \in \mathcal{F}_n\}\}$ ,

- $\text{LR}_{\mathcal{F}}^i$  is always a permutation family, and is efficient if  $\mathcal{F}$  is.
- Is  $\text{LR}_{\mathcal{F}}^1$  pseudorandom?
- $\text{LR}_{\mathcal{F}}^2$ ?  $\text{LR}_{f^1, f^2}(0^n, 0^n) = \text{LR}_{f^2}(0^n, f^1(0^n)) = (f^1(0^n), \cdot)$   
and  $\text{LR}_{f^1, f^2}(1^n, 0^n) = \text{LR}_{f^2}(0^n, f^1(0^n) \oplus 1^n) = (f^1(0^n) \oplus 1^n, \cdot)$
- $\text{LR}_{\mathcal{F}}^3$ ?

### Theorem 12 (Luby-Rackoff)

Assuming that  $\mathcal{F}$  is a PRF, then  $\text{LR}_{\mathcal{F}}^3$  is a PRP

- $\text{LR}^4(\mathcal{F})$  is pseudorandom even if **inversion queries** are allowed



## Proving Luby-Rackoff

It suffices to prove that  $LR_{\Pi_n}^3$  is pseudorandom (?)

- How would you prove that?
- Maybe  $LR^3(\Pi_n) \equiv \tilde{\Pi}_{2n}$ ? description length of element in  $LR^3(\Pi_n)$  is  $2^n \cdot 3n$ , where that of element in  $\tilde{\Pi}_{2n}$  is  $\log(2^{2n}!) > \log\left(\left(\frac{2^{2n}}{e}\right)^{2^{2n}}\right) > 2^{2n} \cdot n$

### Claim 13

For **any**  $q$ -query  $D$ ,

$$|\Pr[D^{LR^3(\Pi_n)}(1^n) = 1] - \Pr[D^{\tilde{\Pi}_{2n}}(1^n) = 1]| \in O(q^2/2^n).$$

- We assume for simplicity that  $D$  is *deterministic*, *non-repeating* and *non-adaptive*.
- Let  $x_1, \dots, x_q$  be  $D$ 's queries.
- We show  $(f(x_1), \dots, f(x_q))_{f \leftarrow LR^3(\Pi_n)}$  is  $O(q^2/2^n)$  **close** (i.e., in statistical distance) to  $(f(x_1), \dots, f(x_q))_{f \leftarrow \tilde{\Pi}}$
- To do that, we show **both** distributions are  $O(q^2/2^n)$  close to *Distinct* :=  $((z_1, \dots, z_q) \leftarrow (\{0, 1\}^{2n})^q \mid \forall i \neq j: (z_i)_0 \neq (z_j)_0)$ .

## Reminder: Statistical Distance

### Definition 14

The **statistical distance** between distributions  $P$  and  $Q$  over  $\mathcal{U}$ , is defined by

$$\text{SD}(P, Q) = \frac{1}{2} \cdot \sum_{u \in \mathcal{U}} |P(u) - Q(u)| = \max_{S \subseteq \mathcal{U}} \{ \Pr_Q[S] - \Pr_P[S] \}$$

In case  $\text{SD}(P, Q) \leq \varepsilon$ , we say that  $P$  and  $Q$  are  $\varepsilon$  **close**.

### Fact 15

Let  $\mathcal{E}$  be an event (i.e., set) and assume  $\text{SD}(P|_{\neg \mathcal{E}}, Q) \leq \delta_1$  and  $\Pr_P[\mathcal{E}] \leq \delta_2$ .  
Then  $\text{SD}(P, Q) \leq \delta_1 + \delta_2$

## Proving Fact 15

For any set  $\mathcal{S}$ , it holds that

$$\begin{aligned}\Pr_P[\mathcal{S}] &= \Pr_P[\mathcal{E}] \cdot \Pr_{P|\mathcal{E}}[\mathcal{S}] + \Pr_P[\neg\mathcal{E}] \cdot \Pr_{P|\neg\mathcal{E}}[\mathcal{S}] \\ &\geq (1 - \delta_2) \cdot \Pr_{P|\neg\mathcal{E}}[\mathcal{S}]\end{aligned}\tag{3}$$

Hence,

$$\begin{aligned}\Pr_Q[\mathcal{S}] - \Pr_P[\mathcal{S}] &\leq \Pr_Q[\mathcal{S}] - (1 - \delta_2) \Pr_{P|\neg\mathcal{E}}[\mathcal{S}] \\ &\leq \Pr_Q[\mathcal{S}] - \Pr_{P|\neg\mathcal{E}}[\mathcal{S}] + \delta_2\end{aligned}\tag{4}$$

Thus,

$$\text{SD}(P, Q) = \max_S \{\Pr_Q[\mathcal{S}] - \Pr_P[\mathcal{S}]\} \leq \max_S \{\Pr_Q[\mathcal{S}] - \Pr_{P|\neg\mathcal{E}}[\mathcal{S}]\} + \delta_2 = \delta_1 + \delta_2.$$

$(f(x_0), \dots, f(x_q))_{f \leftarrow \tilde{\Pi}}$  is close to *Distinct*

Recall *Distinct* :=  $((z_1, \dots, z_q) \leftarrow (\{0, 1\}^{2^n})^q \mid \forall i \neq j: (z_i)_0 \neq (z_j)_0)$ .

For  $f \in \tilde{\Pi}$ , let  $Bad(f) := \exists i \neq j: f(x_i)_0 = f(x_j)_0$ .

### Claim 16

$$\Pr_{f \leftarrow \tilde{\Pi}} [Bad(f)] \leq \frac{\binom{q}{2}}{2^n} \leq \frac{q^2}{2^n}$$

Proof: ?

### Claim 17

$$\left( (f(x_0), \dots, f(x_q)); f \leftarrow \tilde{\Pi} \mid \neg Bad(f) \right) \equiv Distinct$$

Proof: ?

By **Fact 15**,  $(f(x_0), \dots, f(x_q))_{f \leftarrow \tilde{\Pi}}$  is  $\frac{q^2}{2^n}$  close to *Distinct*


# $(f(x_0), \dots, f(x_q))_{f \leftarrow \text{LR}^3(\Pi_n)}$ is close to *Distinct*

Let  $(\ell_1^0, r_1^0), \dots, (\ell_q^0, r_q^0) = (x_1, \dots, x_q)$ .

The following rv's are defined w.r.t.  $(f^1, f^2, f^3) \leftarrow \Pi_n^3$ .

$\ell_1^0$	$r_1^0$	$\ell_2^0$	$r_2^0$	...	$\ell_q^0$	$r_q^0$
$\ell_1^1$	$r_1^1$	$\ell_2^1$	$r_2^1$	...	$\ell_q^1$	$r_q^1$
$\ell_1^2$	$r_1^2$	$\ell_2^2$	$r_2^2$	...	$\ell_q^2$	$r_q^2$
$\ell_1^3$	$r_1^3$	$\ell_2^3$	$r_2^3$	...	$\ell_q^3$	$r_q^3$

where  $\ell_b^j = r_b^{j-1}$  and  $r_b^j = f^j(r_b^{j-1}) \oplus \ell_b^{j-1}$ .



Proof:  $r_i^0 = r_j^0 \implies r_i^1 \neq r_j^1$  and  
 $r_i^0 \neq r_j^0 \implies \Pr_{f^1} [r_i^1 = r_j^1] = 2^{-n} \square$

## Claim 18

$$\Pr_{f^1 \leftarrow \Pi_n} [\text{Bad}^1 := \exists i \neq j: r_i^1 = r_j^1] \leq \frac{\binom{q}{2}}{2^n}$$

## Claim 19

$$\Pr_{(f^1, f^2) \leftarrow \Pi_n^2} [\text{Bad}^2 := \exists i \neq j: r_i^1 = r_j^1 \vee r_i^2 = r_j^2] \leq 2 \cdot \frac{\binom{q}{2}}{2^n} \in O\left(\frac{q^2}{2^n}\right)$$

Proof: ?

## Claim 20

$$(\ell_1^3, r_1^3), \dots, (\ell_q^3, r_q^3) \mid \neg \text{Bad}^2 \equiv \text{Distinct}$$

Proof: similar to the above

## Proving Claim 20

Let  $\mathcal{S} = \{(z_1, \dots, z_q) \in (\{0, 1\}^n)^q : \forall i \neq j: z_i \neq z_j\}$ .

### Claim 21

$((\ell_1^3, \dots, \ell_q^3) \mid \neg \text{Bad}^2)$  is uniform over  $\mathcal{S}$ .

Proof: For any  $\mathbf{z} = (z_1, \dots, z_q) \in (\{0, 1\}^n)^q$  and  $\pi \in \Pi_n$ :

$$\Pr [(\ell_1^3, \dots, \ell_q^3) = \mathbf{z}] = \Pr [(\ell_1^3, \dots, \ell_q^3) = \pi(\mathbf{z}) := (\pi(z_1), \dots, \pi(z_q))] \square$$

## Section 3

# Applications

## General paradigm

Design a scheme assuming that you have random functions, and the **realize** them using PRFs.



## Subsection 1

# Private-key Encryption

# Private-key Encryption

## Construction 22 (PRF-based encryption)

Given an (efficient) PRF  $\mathcal{F}$ , define the encryption scheme  $(\text{Gen}, E, D)$ :

**Key generation:**  $\text{Gen}(1^n)$  returns  $k \leftarrow \mathcal{F}_n$

**Encryption:**  $E_k(m)$  returns  $U_n, k(U_n) \oplus m$

**Decryption:**  $D_k(c = (c_1, c_n))$  returns  $k(c_1) \oplus c_2$

- Advantages over the PRG based scheme?
- Proof of security?

## Conclusion

- We constructed PRFs and PRPs from length-doubling PRG (and thus from one-way functions)
- Main question: find a simpler, more efficient construction or at least, a less **adaptive** one